EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	73	(("ad-hoc" or "ad hoc" or multihop or "multi-hop") with network) and (topology or hierarch$9) and (node with (table or list or record) with (updat$4) with (hierarch$7 or topology))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 02:10
L2	1	709/203.ccls. and (("ad-hoc" or "ad hoc" or multihop or "multi-hop") with network) and (topology or hierarch$9) and (node with (table or list or record) with (updat$4) with (hierarch$7 or topology))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 02:14
L3	13	709/203.ccls. and ("ad-hoc" or "ad hoc" or multihop or "multi-hop") and (topology or hierarch$9) and (node with (table or list or record or structure) with (hierarch$7 or topology))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 02:16
L4	1	709/203.ccls. and ("ad-hoc" or "ad hoc" or multihop or "multi-hop") and topology and (((parent or master) and (child$7 or slave)) with (node)) and wireless	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 02:17

L5	6	709/203.ccls. and network and ("ad-hoc" or "ad hoc" or multihop or "multi-hop") and (topology or hierarch$9) and (((parent or master) and (child$7 or slave)) with (node)) and (wireless or mobile or cellular) and (path or route or trail)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 02:17
L6	6	709/203.ccls. and network and ("ad-hoc" or "ad hoc" or multihop or "multi-hop") and (((parent or master) and (child$7 or slave)) with (node)) and (wireless or mobile or cellular) and (path or route or trail)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 02:19
L7	67	"709".clas. and ("ad-hoc" or "ad hoc" or multihop or "multi-hop") and (((parent or master) and (child$7 or slave)) with (node)) and (wireless or mobile or cellular) and (path or route or trail)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 02:19
L8	81	"709".clas. and ("ad-hoc" or "ad hoc" or multihop or "multi-hop") and (((parent or master) and (child$7 or slave)) with (node)) and (wireless or mobile or cellular) and (path or route or trail or link)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 02:21

L9	81	"709".clas. and ("ad-hoc" or "ad hoc" or multihop or "multi-hop") and (((parent or master) and (child $7 or slave)) with (node)) and (wireless or mobile or cellular) and (path or route or trail or link or edge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 02:21
S1	0	"09728020"	US-PGPUB; USPAT	OR	ON	2004/03/18 14:48
S2	41	@py<"2000" and (709/223.ccls. or 709/224.ccls.) and hop	US-PGPUB; USPAT	OR	ON	2004/03/18 15:12
S3	38	@py<"2000" and (709/223.ccls. or 709/224.ccls.) and hop and (topology or layout or arrangment or locat$)	US-PGPUB; USPAT	OR	ON	2004/03/18 15:12
S4	30	@py<"2000" and (709/223.ccls. or 709/224.ccls.) and hop and (topology)	US-PGPUB; USPAT	OR	ON	2004/03/18 15:19
S5	7	@py<"2000" and (709/223.ccls. or 709/224.ccls.) and hop and (topology) and tree	US-PGPUB; USPAT	OR	ON	2005/02/17 19:35
S6	35	@ay<"2000" and (709/223.ccls. or 709/224.ccls.) and hop and (topology) and tree	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 19:35
S7	36	@ay<"2000" and (709/223.ccls. or 709/224.ccls.) and (hop or multihop or "multi-hop") and (topology) and tree	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 19:35

S8	1	@ay<"2000" and (709/223.ccls. or 709/224.ccls.) and (multihop or "multi-hop") and (topology) and tree	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 20:02
S9	9	@ay<"2000" and ("ad-hoc" or "ad hoc") and topology and ((parent and child$7) with (node))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 20:05
S10	2	@ay<"2000" and ("ad-hoc" or "ad hoc") and topology and ((parent and child$7) with (node)) and wireless	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 22:20
S11	6	@ay<"2000" and ("ad-hoc" or "ad hoc" or multihop) and topology and ((parent and child $7) with (node)) and wireless	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 04:29
S12	8	@ay<"2000" and ("ad-hoc" or "ad hoc" or multihop or "multi-hop") and topology and ((parent and child $7) with (node)) and wireless	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 22:20
S13	13	@ay<"2000" and ("ad-hoc" or "ad hoc" or multihop or "multi-hop") and topology and (((parent or master) and (child$7 or slave)) with (node)) and wireless	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 22:21

S14	14	@ay<"2000" and ("ad-hoc" or "ad hoc" or multihop or "multi-hop") and topology and (((parent or master) and (child$7 or slave)) with (node)) and (wireless or mobile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 22:21
S15	14	@ay<"2000" and network and ("ad-hoc" or "ad hoc" or multihop or "multi-hop") and topology and (((parent or master) and (child$7 or slave)) with (node)) and (wireless or mobile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 22:21
S16	14	@ay<"2000" and network and ("ad-hoc" or "ad hoc" or multihop or "multi-hop") and topology and (((parent or master) and (child$7 or slave)) with (node)) and (wireless or mobile or cellular)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 22:21
S17	19	@ay<"2000" and network and ("ad-hoc" or "ad hoc" or multihop or "multi-hop") and (topology or hierarch$9) and (((parent or master) and (child$7 or slave)) with (node)) and (wireless or mobile or cellular)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 22:24

S18	18	@ay<"2000" and network and ("ad-hoc" or "ad hoc" or multihop or "multi-hop") and (topology or hierarch$9) and (((parent or master) and (child$7 or slave)) with (node)) and (wireless or mobile or cellular) and path	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 04:29
S19	19	@ay<"2000" and network and ("ad-hoc" or "ad hoc" or multihop or "multi-hop") and (topology or hierarch$9) and (((parent or master) and (child$7 or slave)) with (node)) and (wireless or mobile or cellular) and (path or link)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 22:24
S20	13	@ay<"2000" and network and ("ad-hoc" or "ad hoc" or multihop or "multi-hop") and (topology or hierarch$9) and (((parent or master) and (child$7 or slave)) with (node)) and (wireless or mobile or cellular) and (path or link) and tree	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 04:23
S21	80	@ay<"2000" and network and ("ad-hoc" or "ad hoc" or multihop or "multi-hop") and (topology or hierarch$9) and (node with (table or list or record or structure) with (hierarch$7 or topology))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 04:28

S22	4	@ay<"2000" and network and ("ad-hoc" or "ad hoc" or multihop or "multi-hop") and (topology or hierarch$9) and (node with (table or list or record) with (updat$4) with (hierarch$7 or topology))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 04:24
S23	4	@ay<"2000" and (("ad-hoc" or "ad hoc" or multihop or "multi-hop") with network) and (topology or hierarch$9) and (node with (table or list or record) with (updat$4) with (hierarch$7 or topology))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 04:28
S24	4	@ay<"2000" and (("ad-hoc" or "ad hoc" or multihop or "multi-hop") with network) and (node with (table or list or record) with (updat$4) with (hierarch$7 or topology))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 15:29
S25	22	@ay<"2000" and (("ad-hoc" or "ad hoc" or multihop or "multi-hop") with network) and (node with (table or list or record) with (hierarch$7 or topology))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 15:29
S26	18	S25 not S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 15:29
S27	2	"5303207".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 15:48

S28	2	"5671357".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 20:09
S29	0	"1994254494"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 20:11
S30	2	"5619657".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 20:10
S31	0	"1994254494".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 20:11
S32	0	"1994254494".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 20:11
S33	0	"1994254494".rlan.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 20:11
S34	0	"1994254494".rlpd.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 20:12
S35	0	"1994254494".AP.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 20:12

S36	0	"1994254494".APN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 20:27
S37	2	"9819224"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 20:28
S38	13	@ay<"2000" and network and ("ad-hoc" or "ad hoc" or multihop or "multi-hop") and (topology or hierarch$9) and (((parent or master) and (child$7 or slave)) with (node)) and (wireless or mobile or cellular) and (path or link) and tree	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 04:23
S39	4	@ay<"2000" and network and ("ad-hoc" "ad hoc" or multihop or "multi-hop") and (topology or hierarch$9) and (node with (table or list or record) with (updat$4) with (hierarch$7 or topology))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 04:24
S40	4	@ay<"2000" and (("ad-hoc" or "ad hoc" or multihop or "multi-hop") with network) and (topology or hierarch$9) and (node with (table or list or record) with (updat$4) with (hierarch$7 or topology))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 04:28

S41	12	@ay<"2000" and "709".clas. and ("ad-hoc" or "ad hoc" or multihop or "multi-hop") and (topology or hierarch$9) and (node with (table or list or record or structure) with (hierarch$7 or topology))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 04:29
S42	6	@ay<"2000" and ("ad-hoc" or "ad hoc" or multihop) and topology and (((parent and child$7) with (node)) and (wireless or wlan)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 04:29
S43	22	@ay<"2000" and network and ("ad-hoc" or "ad hoc" or multihop or "multi-hop") and (topology or hierarch$9) and (((parent or master) and (child$7 or slave)) with (node)) and (wireless or mobile or cellular) and (path or route or trail)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 04:29
S44	22	@ay<"2000" and network and ("ad-hoc" or "ad hoc" or multihop or "multi-hop") and (topology or hierarch$9) and (((parent or master) and (child$7 or slave)) with (node)) and (wireless or mobile or cellular) and (path or route or trail or links)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 04:30

11/10/08 2:22:35 AM
C:\Documents and Settings\achoudhury\My Documents\EAST\Workspaces
\azizul09728020.wsp